## Check List for Exception "Recreational Burning" Municipal By-Law 91 of 2001 Corporation of the City of Sarnia

Incident Report #	(Attach to copy of Checklist to Incident Report)	Yes	No
Open-air burning may only 10:00am and 11:00 pm?	be conducted between the hours of		
<ol> <li>No larger than 2 feet X</li> <li>No more than 8 inches</li> </ol>	of the containment above grade. vered with a heavy metal gauge screen to		
" <b>Open burning device</b> " shall for the purpose of containing a	mean any commercially manufactured device recreational fire.		
Comments:			
	ommercially produced charcoal, briquettes, rood, not including brush, pressure treated d.		
Comments:			
Wood being burnt shall be total	ally confined to the pit at all times?		
Comments:			
Open-air burning shall be conf distance of 3 metres in all dire 1) Adjacent properties, 2) Combustible structures	·		
Comments:			
An effective extinguishing age extinguishing the fire shall be	nt of sufficient volume with the capability of immediately available for use.		
Comments:			
Open-air burnings shall be atte	ended, controlled and supervised at all times.		
Comments:			
when; 1) Wind speed exceeds 30 2) Low air pressure, rain for	er environmental conditions and not permitted kilometers per hour, precasted or foggy weather, ued from Ministry of Environment for Ontario.		
Comments:			
	sure adjacent properties are not impacted from re Officer will have the discretion to determine will be final.		
Comments:			
Any non-compliant burning	requires a request to extinguish.		
	a result of "failure to comply" with any to Regulate Open Air Burning".		